


CONTENTS

Human Immunodeficiency Virus	2
Hepatitis Viruses	2
Sexually transmitted infections	5
Human Herpes Viruses and TORCH-infections	6
Mycoses	9
Tick-borne and zoonotic infection	9
Vaccine-preventable diseases	11
Respiratory Infections	11
Tuberculosis	12
Parasitic diseases	12
Gastrointestinal diseases	13
Hormones	14
Diabetes	15
Pregnancy	15
Anemia	16
Tumor markers	16
Acute phase proteins	18
Thrombosis	18
Cardiac markers	18
Assessment of renal function	19
Systemic and autoimmune diseases	20
Humoral immune status	21
Cytokines	21

PRODUCT LIST of the ELISA diagnostic kits

Cat. No.	PRODUCT	Number of tests
<i>Human Immunodeficiency Virus</i>		
D-0134	HIV-1 p24-antigen – EIA - BEST Enzyme immunoassay kit for the detection and confirmation of the presence of HIV-1 p24 antigen.	12×8
D-0151	CombiBest HIV-1,2 Ag/Ab (set 1)	24×8
D-0152	CombiBest HIV-1,2 Ag/Ab (set 2) Enzyme immunoassay kits for the detection of anti-HIV -1, 2 antibodies and HIV-1 p24 antigen.	12×8
D-0193	UniBest HIV-1,2 Ab (set 1/strip)	24×8
D-0192	UniBest HIV-1,2 Ab (set 2) Enzyme immunoassay kits for the detection of total antibodies against HIV-1, 2.	12×8
D-0160	LIA-blot-HIV-1,2 BEST Reagent kit for confirmation of the presence of antibodies against HIV-1, 2 antigens by immunoblot.	24
<i>Hepatitis Viruses</i>		
HEPATITIS A		
D-0352	Vectohep A - IgM Enzyme immunoassay kit for the detection of IgM against hepatitis A virus.	12×8
D-0356	HAV-antigen-EIA-BEST Enzyme immunoassay kit for the detection of hepatitis A virus antigen.	12×8
D-0362 	Vectohep A - IgG Enzyme immunoassay kit for the detection and quantification of IgG against hepatitis A virus	12×8
HEPATITIS B		
D-0543	HBsAg-EIA – BEST (set 2)	24×8
D-0544	HBsAg-EIA – BEST (set 3) Enzyme immunoassay kits for the detection of HBs antigen. Sensitivity – 0.01 IU/ml.	12×8

D-0546	HBsAg-confirmatory-EIA - BEST Enzyme immunoassay kit for the confirmation of HBs antigen presence. Sensitivity – 0.01 IU/ml.	6×8
D-0545	HBsAg-EIA-BEST (quantitative analysis) Enzyme immunoassay kit for the quantification of HBs antigen. Sensitivity – 0.05 IU/ml. Measurement range: 0-10 U/ml.	12×8
D-0557 D-0556 D-0559	Vectohep B-HBs-antigen (set 2) Vectohep B-HBs-antigen (set 3) Vectohep B-HBs-antigen (set 4) Enzyme immunoassay kits for the detection of HBs antigen. Sensitivity – 0.05/0.01 IU/ml.	24×8 12×8 480
D-0558	Vectohep B-HBs-antigen-confirmatory test (set 1) Enzyme immunoassay kit for the detection and confirmation of the presence of HBs antigen. Sensitivity – 0.05/0.01 IU/ml.	6×8
D-0562	VectoHBsAg-antibodies Enzyme immunoassay kit for the detection and quantification of antibodies against HBs antigen.	12×8
D-0564	VectoHBcAg-IgM Enzyme immunoassay kit for the detection of IgM against hepatitis B core antigen.	12×8
D-0566	VectoHBcAg - antibodies Enzyme immunoassay kit for the detection of total antibodies against hepatitis B core antigen.	12×8
D-0574	HepaBest anti – HBc - IgG Enzyme immunoassay kit for the detection of IgG against hepatitis B core antigen.	12×8
D-0576	VectoHBe-antigen Enzyme immunoassay kit for the detection of E antigen of the hepatitis B virus.	12×8
D-0578	VectoHBe - IgG Enzyme immunoassay kit for the detection of IgG against HBe antigen of the hepatitis B virus.	12×8

		HEPATITIS C
D-0760	RecombiBest anti-HCV-IgM Enzyme immunoassay kit for the detection of IgM against hepatitis C virus.	12×8
D-0773	Best anti-HCV (set 3)	24×8
D-0772	Best anti-HCV (set 2)	12×8
D-0775	Best anti-HCV (set 4) Enzyme immunoassay kit for the detection of IgG and IgM against hepatitis C virus.	480
D-0774	Best anti-HCV – spectrum Enzyme immunoassay kit for the detection of antibodies to individual proteins of hepatitis C virus (core, NS3, NS4, NS5).	6×4
D-0776	Best anti-HCV-confirmatory test Enzyme immunoassay kit for the detection and confirmation of IgG and IgM against hepatitis C virus.	12×4
D-0777	HCV Ag/Ab – EIA – BEST (set 1)	12×8
D-0778	HCV Ag/Ab – EIA – BEST (set 2) Enzyme immunoassay kits for the detection of HCV core antigen and antibodies to hepatitis C virus.	24×8
D-0779	HCV core-antigen-EIA-BEST Enzyme immunoassay kit for the detection of the core antigen of hepatitis C virus.	12×8
		HEPATITIS D
D-0952	Vectohep D - IgM Enzyme immunoassay kit for the detection of IgM against hepatitis D virus.	12×8
D-0954	Vectohep D - antibodies Enzyme immunoassay kit for the detection of total antibodies against hepatitis D virus.	12×8
		HEPATITIS E
D-1056	Vectohep E - IgG Enzyme immunoassay kit for the detection of IgG against hepatitis E virus.	12×8
D-1058	Vectohep E - IgM Enzyme immunoassay kit for the detection of IgM against hepatitis E virus.	12×8

Sexually transmitted infections

		SYPHILIS
D-1851	RecombiBest antipallidum-IgG (set 1)	2×96
D-1852	RecombiBest antipallidum-IgG (set 2) Enzyme immunoassay kits for the detection of IgG against <i>Treponema pallidum</i> .	12×8
D-1857	RecombiBest antipallidum-total antibodies (set 3)	24×8
D-1856	RecombiBest antipallidum-total antibodies (set 2)	12×8
D-1875	RecombiBest antipallidum-total antibodies (set 4) Enzyme immunoassay kits for the detection of total antibodies against <i>Treponema pallidum</i> .	480
D-1858	RecombiBest antipallidum-IgM Enzyme immunoassay kit for the detection of IgM against <i>Treponema pallidum</i> .	12×8
D-1860	Treponema pallidum-blot-BEST Reagent kit for the detection of antibodies against <i>Treponema pallidum</i> by immunoblot.	24
D-1812	LumiBest antipallidum Reagent kit for the detection of antibodies against <i>Treponema pallidum</i> by immunofluorescence.	80
D-1820	PHA-BEST antipallidum Reagent kit for the detection of antibodies against <i>Treponema pallidum</i> by passive hemagglutination reaction.	100
D-1822	Anticardiolipin – RPR - BEST Reagent kit for the detection of syphilis-associated antibodies to cardiolipin by the precipitation reaction.	400
		CHLAMYDIOSIS
D-1964	ChlamyBest C.trachomatis-IgG Enzyme immunoassay kit for the detection of IgG against <i>Chlamydia trachomatis</i> .	12×8
D-1966	ChlamyBest C.trachomatis - IgM Enzyme immunoassay kit for the detection of IgM against <i>Chlamydia trachomatis</i> .	12×8
D-1968	ChlamyBest C.trachomatis - IgA Enzyme immunoassay kit for the detection of IgA against <i>Chlamydia trachomatis</i> .	12×8
D-1972	ChlamyBest cHSP60 - IgG Enzyme immunoassay kit for the detection of IgG against <i>Chlamydia trachomatis</i> heat shock protein (cHSP60).	12×8

D-1982	ChlamyBest MOMP + pgp3-IgG Enzyme immunoassay kit for the detection of IgG against <i>Chlamydia trachomatis</i> major outer membrane protein (MOMP) and plasmid-encoded protein (pgp3).	12×8
TRICHOMONIASIS		
D-2052	Trichomonas vaginalis-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Trichomonas vaginalis</i> .	12×8
D-2058	Trichomonas vaginalis-IgA – EIA - BEST Enzyme immunoassay kit for the detection of IgA against <i>Trichomonas vaginalis</i> .	12×8
UREAPLASMOSIS		
D-2254	Ureaplasma urealyticum-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Ureaplasma urealyticum</i> antigens.	12×8
D-2258	Ureaplasma urealyticum-IgA – EIA - BEST Enzyme immunoassay kit for the detection of IgA against <i>Ureaplasma urealyticum</i> antigens.	12×8
MYCOPLASMOSIS		
D-4352	Mycoplasma hominis-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Mycoplasma hominis</i> .	12×8
D-4358	Mycoplasma hominis-IgA – EIA - BEST Enzyme immunoassay kit for the detection of IgA against <i>Mycoplasma hominis</i> .	12×8
Human Herpes Viruses and TORCH-infections		
TOXOPLASMA		
D-1752	VectoToxo - IgG Enzyme immunoassay kit for the detection and quantification of IgG against <i>Toxoplasma gondii</i> .	12×8
D-1754	VectoToxo-IgA Enzyme immunoassay kit for the detection of IgA against <i>Toxoplasma gondii</i> .	12×8
D-1756	VectoToxo - IgM Enzyme immunoassay kit for the detection of IgM against <i>Toxoplasma gondii</i> .	12×8
D-1760	Toxo-IgM- EIA -BEST Enzyme immunoassay kit for the detection of IgM against <i>Toxoplasma gondii</i> in blood serum/plasma using the antibody capture method.	12×8

D-1762	VectoToxo-IgG - avidity Enzyme immunoassay kit for the determination of avidity index of IgG against <i>Toxoplasma gondii</i> .	6×8
D-1764	VectoToxo-antibodies Enzyme immunoassay kit for the detection of total antibodies against <i>Toxoplasma gondii</i> .	12×8
RUBELLA		
D-2552	VectoRubella - IgG Enzyme immunoassay kit for the detection of IgG against rubella virus.	12×8
D-2554	VectoRubella - IgM Enzyme immunoassay kit for the detection of IgM against rubella virus.	12×8
D-2556	VectoRubella – IgG - Avidity Enzyme immunoassay kit for the determination of avidity index of IgG against rubella virus.	6×8
D-2560	Rubella-IgM-EIA-BEST Enzyme immunoassay kit for the detection of IgM against rubella virus in blood serum/plasma using the antibody capture method.	12×8
HERPES VIRUSES-1, 2		
D-2152	VectoHSV-1,2-IgG Enzyme immunoassay kit for the detection of IgG against herpes simplex virus 1, 2.	12×8
D-2154	VectoHSV - IgM Enzyme immunoassay kit for the detection of IgM against HSV-1, 2.	12×8
D-2156	VectoHSV-1,2 – IgG - avidity Enzyme immunoassay kit for the determination of avidity index of IgG against HSV-1, 2.	6×8
D-2158	VectoHSV–1-IgG Enzyme immunoassay kit for the detection of IgG against HSV-1.	12×8
D-2180	VectoHSV–2-IgG Enzyme immunoassay kit for the detection of IgG against HSV-2.	12×8
D-2181	VectoHSV–2 - IgM Enzyme immunoassay kit for the detection of IgM against HSV-2.	12×8
D-2182	VectoHSV-2 – IgG - avidity Enzyme immunoassay kit for the determination of avidity index of IgG against HSV-2.	6×8

VARICELLA-ZOSTER VIRUS		
D-2186	VectoVZV – gE - IgG Enzyme immunoassay kit for the detection of IgG against glycoprotein E of varicella-zoster virus.	12×8
D-2188	VectoVZV - IgM Enzyme immunoassay kit for the detection of IgM against varicella-zoster virus.	12×8
D-2192	VectoVZV - IgG Enzyme immunoassay kit for the detection of IgG against varicella-zoster virus.	12×8
EPSTEIN-BARR VIRUS		
D-2170 CE	VectoEBV-NA-IgG Enzyme immunoassay kit for the detection of IgG against the nuclear antigen (NA) of Epstein-Barr virus.	12×8
D-2172 CE	VectoEBV-EA-IgG Enzyme immunoassay kit for the detection of IgG against the early antigen (EA) of Epstein-Barr virus.	12×8
D-2176 CE	VectoEBV-VCA-IgM Enzyme immunoassay kit for the detection of IgM against viral capsid antigen of Epstein-Barr virus.	12×8
D-2183	VectoEBV–VCA–IgG –avidity Enzyme immunoassay kit for the determination of IgG avidity index against viral capsid antigen of Epstein-Barr virus.	6×8
D-2184	VectoEBV - VCA - IgG Enzyme immunoassay kit for the detection of IgG against viral capsid antigen of Epstein-Barr virus.	12×8
CYTOMEGALOVIRUS		
D-1552	VectoCMV - IgM Enzyme immunoassay kit for the detection of IgM against cytomegalovirus.	12x8
D-1556	CMV-IgG-EIA-BEST Enzyme immunoassay kit for the detection and quantification of IgG against cytomegalovirus.	12×8
D-1557	CMV-IgM-EIA-BEST Enzyme immunoassay kit for the detection of IgM against cytomegalovirus in blood serum/plasma using the antibody capture method.	12×8
D-1558	VectoCMV-IgG - avidity Enzyme immunoassay kit for the determination of avidity index of IgG against cytomegalovirus.	6×8
D-1566	VectoCMV-IEA-antibodies Enzyme immunoassay kit for the detection of IgG and IgM against cytomegalovirus immediate early antigen.	12×8

D-1560	CMV-IgG-blot-BEST Reagent kit for the detection of IgG against cytomegalovirus by immunoblot.	20
HERPES VIRUSES-6, 8		
D-2166	VectoHHV-6 - IgG Enzyme immunoassay kit for the detection of IgG against HHV-6.	12×8
D-2160	VectoHHV-8-IgG Enzyme immunoassay kit for the detection of IgG against HHV-8.	12×8
<i>Mycoses</i>		
CANDIDIASIS		
D-4652	Candida-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Candida</i> fungi.	12×8
D-4654	Candida-IgM – EIA - BEST Enzyme immunoassay kit for the detection of IgM against <i>Candida</i> fungi.	12×8
D-4656	Candida-IgA – EIA - BEST Enzyme immunoassay kit for the detection of IgA against <i>Candida</i> fungi.	12×8
ASPERGILLOSIS		
D-4752	Aspergill-IgG-EIA-BEST Enzyme immunoassay kit for the detection of IgG against <i>Aspergillus fumigatus</i> .	12×8
<i>Tick-borne and zoonotic infections</i>		
TICK-BORNE ENCEPHALITIS		
D-1152	VectoTBE-IgM Enzyme immunoassay kit for the detection of IgM against tick-borne encephalitis virus.	12×8
D-1154	VectoTBE-antigen Enzyme immunoassay kit for the detection of tick-borne encephalitis virus antigen.	12×8
D-1156	VectoTBE - IgG Enzyme immunoassay kit for the detection of IgG against tick-borne encephalitis virus.	12×8
BORRELIOSIS		
D-1452	LymeBest-IgG Enzyme immunoassay kit for the detection of IgG against the causative agent of tick-borne borreliosis.	12×8

D-1454	LymeBest-IgM Enzyme immunoassay kit for the detection of IgM against the causative agent of tick-borne borreliosis.	12×8
HEMORRHAGIC FEVER WITH RENAL SYNDROME (HFRS)		
D-4902 CE	VectoHanta-IgG Enzyme immunoassay kit for the detection of IgG against hantaviruses.	12×8
D- 4904 CE	VectoHanta-IgM Enzyme immunoassay kit for the detection of IgM against hantaviruses.	12×8
CRIMEAN-CONGO HEMORRHAGIC FEVER (CCHF)		
D-5052	VectoCrimea-CHF-IgG Enzyme immunoassay kit for the detection of IgG against Crimean-Congo hemorrhagic fever virus.	12×8
D-5054	VectoCrimea-CHF-IgM Enzyme immunoassay kit for the detection of IgM against Crimean-Congo hemorrhagic fever virus.	12×8
D-5056	VectoCrimea-CHF - antigen Enzyme immunoassay kit for the detection of Crimean-Congo hemorrhagic fever virus antigen.	12×8
WEST NILE VIRUS (WNV)		
D-5150 CE	VectoNile-IgM Enzyme immunoassay kit for the detection of IgM against West Nile virus.	12×8
D-5152 CE	VectoNile-IgG Enzyme immunoassay kit for the detection of IgG against West Nile virus.	12×8
D-5154 CE	VectoNile-IgG - avidity Enzyme immunoassay kit for the determination of avidity index of IgG against West Nile virus.	6×8
BRUCELLOSIS		
D-3652	Brucellosis-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against brucellosis.	12×8
D-3654	Brucellosis-IgA-EIA-BEST Enzyme immunoassay kit for the detection of IgA against brucellosis.	12×8
D-3656	Brucellosis-IgM-EIA-BEST Enzyme immunoassay kit for the detection of IgM against brucellosis.	12×8
D-3658	Brucellosis-antibodies-EIA-BEST Enzyme immunoassay kit for the detection of total antibodies against brucellosis.	12×8

		YERSINIOSIS
D-3202 CE	Yersinia-IgG-EIA-BEST Enzyme immunoassay kit for the detection of IgG against Yersinia.	12×8
D-3204 CE	Yersinia-IgA-EIA-BEST Enzyme immunoassay kit for the detection of IgA against Yersinia.	12×8
D-3206 CE	Yersinia-IgM-EIA-BEST Enzyme immunoassay kit for the detection of IgM against Yersinia.	12×8
<i>Vaccine-preventable diseases</i>		
		MEASLES
D-1356 CE	VectoMeasles-IgG Enzyme immunoassay kit for the detection and quantification of IgG against measles virus	12×8
D-1358 CE	VectoMeasles-IgM Enzyme immunoassay kit for the detection of IgM against measles virus.	12×8
		MUMPS
D-2602 CE	VectoMumps-IgG Enzyme immunoassay kit for the detection of IgG against mumps virus.	12×8
D-2606	Mumps-IgM – EIA - BEST Enzyme immunoassay kit for the detection of IgM against mumps virus in blood serum/plasma using the antibody capture method.	12×8
<i>Respiratory Infections</i>		
D-1944	Chlamydophila pneumoniae-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Chlamydophila pneumoniae</i> .	12×8
D-1946	Chlamydophila pneumoniae-IgM – EIA - BEST Enzyme immunoassay kit for the detection of IgM against <i>Chlamydophila pneumoniae</i> .	12×8
D-1948	Chlamydophila pneumoniae-IgA – EIA - BEST Enzyme immunoassay kit for the detection of IgA against <i>Chlamydophila pneumoniae</i> .	12×8
D-4362	Mycoplasma pneumoniae – IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Mycoplasma pneumoniae</i> .	12×8
D-4366	Mycoplasma pneumoniae – IgM – EIA - BEST Enzyme immunoassay kit for the detection of IgM against <i>Mycoplasma pneumoniae</i> .	12×8

D-4368	Mycoplasma pneumoniae – IgA – EIA - BEST Enzyme immunoassay kit for the detection of IgA against <i>Mycoplasma pneumoniae</i> .	12×8
Tuberculosis		
D-2352	AB – Tub - BEST Enzyme immunoassay kit for the detection of total antibodies against <i>Mycobacterium tuberculosis</i> .	12×8
Parasitic diseases		
D-2752 CE	Toxocara-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Toxocara canis</i> antigens.	12×8
D-2952	Opisthorchis-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Opisthorchis felineus</i> antigens.	12×8
D-2954	Opisthorchis - IgM – EIA - BEST Enzyme immunoassay kit for the detection of IgM against <i>Opisthorchis felineus</i> antigens.	12×8
D-2956	Opisthorchis-CIC-EIA-BEST Enzyme immunoassay kit for the detection of specific circulating immune complexes (CIC), containing <i>Opisthorchis felineus</i> antigens.	12×8
D-2958	Clonorchis-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Clonorchis sinensis</i> antigens.	12×8
D-3152 CE	Trichinella-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Trichinella spiralis</i> antigens.	12×8
D-3154	Trichinella-IgM – EIA - BEST Enzyme immunoassay kit for the detection of IgM against <i>Trichinella spiralis</i> antigens.	12×8
D-3356 CE	Echinococcus-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Echinococcus granulosus</i> antigens.	12×8
D-3452 CE	Ascaris-IgG – EIA - BEST Enzyme immunoassay kit for the detection of IgG against <i>Ascaris lumbricoides</i> antigens.	12×8
D-3454	Anisakis-IgG-EIA-BEST Enzyme immunoassay kit for the detection of IgG against <i>Anisakis nematodes</i> antigens.	12×8
D-3456	Cysticercus-IgG-EIA-BEST Enzyme immunoassay kit for the detection of IgG against <i>Taenia solium</i> antigens.	12×8

D-3552	Lambliia-antibodies-EIA-BEST Enzyme immunoassay kit for the detection of IgA, IgM and IgG against <i>Giardia lamblia</i> antigens.	12×8
D-3554	Lambliia-IgM-EIA-BEST Enzyme immunoassay kit for the detection of IgM against <i>Giardia lamblia</i> antigens.	12×8
D-3556	Lambliia-antigen-EIA-BEST Enzyme immunoassay kit for the detection of <i>Giardia lamblia</i> antigens in feces.	12×8
D-3354	Helminths-IgG-EIA-BEST Enzyme immunoassay kit for the detection of IgG against <i>Opisthorchis felineus</i> , <i>Trichinella spiralis</i> , <i>Toxocara canis</i> and <i>Echinococcus granulosus</i> antigens.	12×8
Gastrointestinal diseases		
D-3752	Helicobacter pylori-CagA-antibodies-EIA-BEST Enzyme immunoassay kit for the detection of total antibodies against CagA antigen of <i>Helicobacter pylori</i> .	12×8
D-1652 CE	Rotavirus-antigen – EIA - BEST Enzyme immunoassay kit for the detection of human rotavirus antigen.	12×8
D-1654 CE	Adenovirus – antigen – EIA - BEST Enzyme immunoassay kit for the detection of human adenovirus antigen.	12×8
D-1656	Norovirus-antigen-EIA-BEST Enzyme immunoassay kit for the detection of norovirus antigen genogroup I and II in feces.	12×8
D-3754	IgG – Gliadin – EIA - BEST Enzyme immunoassay kit for the quantification of IgG against gliadin. Measurement range: 0-100 U/ml. Sensitivity: 1 U/ml.	12×8
D-3756	IgA – Gliadin – EIA - BEST Enzyme immunoassay kit for the quantification of IgA against gliadin. Measurement range: 0-100 U/ml. Sensitivity: 1 U/ml.	12×8
D-3758 CE	IgA-Transglutaminase-EIA-BEST Enzyme immunoassay kit for the quantification of IgA autoantibodies against tissue transglutaminase. Measurement range: 0-100 U/ml. Sensitivity: 2.5 U/ml.	6×8
D-3760 CE	IgG-Transglutaminase-EIA-BEST Enzyme immunoassay kit for the quantification of IgG autoantibodies against tissue transglutaminase. Measurement range: 0-100 U/ml. Sensitivity: 2.5 U/ml.	6×8

D-3762 CE	Pepsinogen 1 – EIA - BEST Enzyme immunoassay kit for the quantification of pepsinogen 1. Measurement range: 0-200 µg/l. Sensitivity: 0.5 µg/l.	12×8
D-3764 CE	Pepsinogen 2 – EIA - BEST Enzyme immunoassay kit for the quantification of pepsinogen 2. Measurement range: 0-50 µg/l. Sensitivity: 0.5 µg/l.	12×8
Hormones		
X-3952	TSH – EIA - BEST Enzyme immunoassay kit for the quantification of thyroid stimulating hormone (TSH). Measurement range: 0-16 mIU/l. Sensitivity: 0.05 mIU/l.	12×8
X-3954	T3 total – EIA - BEST Enzyme immunoassay kit for the quantification of total triiodothyronine. Measurement range: 0-9 nmol/l. Sensitivity: 0.2 nmol/l.	12×8
X-3956	T4 total – EIA - BEST Enzyme immunoassay kit for the quantification of total thyroxin. Measurement range: 0-400 nmol/l. Sensitivity: 5 nmol/l.	12×8
X-3962	T4 free – EIA - BEST Enzyme immunoassay kit for the quantification of free thyroxin. Measurement range: 0-80 pmol/l. Sensitivity: 0.5 pmol/l.	12×8
X-3970	T3 free – EIA - BEST Enzyme immunoassay kit for the quantification of free triiodothyronine. Measurement range: 0-20 pmol/l. Sensitivity: 0.5 pmol/l.	12×8
X-3958	Anti-TG – EIA - BEST Enzyme immunoassay kit for the quantification of total antibodies against thyroglobulin. Measurement range: 0-2000 IU/ml. Sensitivity: 5 IU/ml.	12×8
X-3966	TG-EIA-BEST Enzyme immunoassay kit for the quantification of thyroglobulin. Measurement range: 0-300 ng/ml. Sensitivity: 1 ng/ml	12×8
X-3968	Anti – TPO – EIA - BEST Enzyme immunoassay kit for the quantification of total antibodies against thyroid peroxidase. Measurement range: 0-1000 U/ml. Sensitivity: 2 U/ml.	12×8

X-3960	PROLACTIN – EIA – BEST Enzyme immunoassay kit for the quantification of prolactin. Measurement range: 0-3000 mIU/L. Sensitivity: 15 mIU/L.	12×8
X-3964	Cortisol – EIA - BEST Enzyme immunoassay kit for the quantification of cortisol. Measurement range: 0-1200 nmol/l. Sensitivity: 5 nmol/l.	12×8
X-3972	Testosterone – EIA - BEST Enzyme immunoassay kit for the quantification of testosterone. Measurement range: 0-60 nmol/l. Sensitivity: 0.2 nmol/l.	12×8
X-3974	FSH-EIA-BEST Enzyme immunoassay kit for the quantification of follicle-stimulating hormone. Measurement range: 0-100 mIU/ml. Sensitivity: 0.3 mIU/ml.	12×8
X-3976	LH-EIA-BEST Enzyme immunoassay kit for the quantification of luteinizing hormone. Measurement range: 0-100 mIU/ml. Sensitivity: 0.3 mIU/ml.	12×8
X-3978	Progesterone-EIA-BEST Enzyme immunoassay kit for the quantification of progesterone. Measurement range: 0-100 nmol/l. Sensitivity: 0.4 nmol/l.	12×8
<i>Diabetes</i>		
X-4001	C-peptide-EIA-BEST Enzyme immunoassay kit for the quantification of C-peptide. Measurement range: 0-5000 pmol/l. Sensitivity: 15 pmol/l.	12×8
X-4002	Insulin-EIA-BEST Enzyme immunoassay kit for the quantification of insulin. Measurement range: 0-200 mIU/l. Sensitivity: 0.75 mIU/l.	12×8
<i>Pregnancy</i>		
D-4154	HCG – EIA - BEST Enzyme immunoassay kit for the quantification of human chorionic gonadotropin. Measurement range: 0-500 IU/l. Sensitivity: 2 IU/l.	12×8

D-4158	free beta-HCG – EIA - BEST Enzyme immunoassay kit for the quantification of free beta-subunit of human chorionic gonadotropin. Measurement range: 0-200 ng/ml. Sensitivity: 0.5 ng/ml.	12×8
D-4160	PAPP-A – EIA - BEST Enzyme immunoassay kit for the quantification of pregnancy-associated plasma protein A (PAPP-A). Measurement range: 0-10000 mIU/l. Sensitivity: 20 mIU/l.	12×8
D-3960	PROLACTIN – EIA - BEST Enzyme immunoassay kit for the quantification of prolactin. Measurement range: 0-3000 mIU/L. Sensitivity: 15 mIU/L.	12×8
D-8456	AFP – EIA - BEST Enzyme immunoassay kit for the quantification of alpha-fetoprotein. Measurement range: 0-400 IU/ml. Sensitivity: 2.5 IU/ml.	12×8
D-8468	TBG – EIA - BEST Enzyme immunoassay kit for the quantification of trophoblastic beta-1-glycoprotein. Measurement range: 0-200 ng/ml. Sensitivity: 1 ng/ml.	12×8
D-8552	Ferritin – EIA - BEST Enzyme immunoassay kit for the quantification of ferritin. Measurement range: 0-500 ng/ml. Sensitivity: 2.5 ng/ml.	12×8
Anemia		
D-8552	Ferritin – EIA - BEST Enzyme immunoassay kit for the quantification of ferritin. Measurement range: 0-500 ng/ml. Sensitivity: 2.5 ng/ml.	12×8
D-8776	Erythropoietin-EIA-BEST Enzyme immunoassay kit for the quantification of erythropoietin. Measurement range: 0-200 mIU/ml. Sensitivity: 0.5 mIU/ml.	12×8
Tumor markers		
D-4154	HCG – EIA - BEST Enzyme immunoassay kit for the quantification of human chorionic gonadotropin. Measurement range: 0-500 IU/l. Sensitivity: 2 IU/l.	12×8

D-4158	free beta-HCG – EIA - BEST Enzyme immunoassay kit for the quantification of free beta-subunit of human chorionic gonadotropin. Measurement range: 0-200 ng/ml. Sensitivity: 0.5 ng/ml.	12×8
T-8454	CEA-EIA-BEST Enzyme immunoassay kit for the quantification of carcinoembryonic antigen. Measurement range: 0-880 mIU/ml. Sensitivity: 3.3 mIU/ml.	12×8
T-8456	AFP - EIA - BEST Enzyme immunoassay kit for the quantification of alpha-fetoprotein. Measurement range: 0-400 IU/ml. Sensitivity: 2.5 IU/ml.	12×8
T-8453	PSA total – EIA – BEST Enzyme immunoassay kit for the quantification of total prostate-specific antigen (PSA). Measurement range: 0-5 ng/ml. Sensitivity: 0.01 ng/ml.	12×8
T-8460	PSA free – EIA - BEST Enzyme immunoassay kit for the quantification of free prostate-specific antigen (PSA). Measurement range: 0-5 ng/ml. Sensitivity: 0.05 ng/ml.	12×8
T-8466	CA-125 – EIA - BEST Enzyme immunoassay kit for the quantification of CA-125. Measurement range: 0-400 U/ml. Sensitivity: 1.5 U/ml.	12×8
T-8467	HE4 – EIA – BEST Enzyme immunoassay kit for the quantification of HE4 in serum. Measurement range: 0-1000 pmol/l. Sensitivity: 1.5 pmol/l.	12×8
T-8468	TBG – EIA - BEST Enzyme immunoassay kit for the quantification of trophoblastic beta-1-glycoprotein. Measurement range: 0-200 ng/ml. Sensitivity: 1 ng/ml.	12×8
T-8470	CA 19-9 – EIA - BEST Enzyme immunoassay kit for the quantification of CA-19-9. Measurement range: 0-300 U/ml. Sensitivity: 1 U/ml.	12×8
T-8472	CA 15-3 – EIA - BEST Enzyme immunoassay kit for the quantification of CA-15-3. Measurement range: 0-250 U/ml. Sensitivity: 0.5 U/ml.	12×8

T-8476	NSE – EIA – BEST Enzyme immunoassay kit for the quantification of neuron specific enolase (NSE). Measurement range: 0-130 ng/ml. Sensitivity: 0.5 ng/ml.	12×8
T-8552	Ferritin – EIA – BEST Enzyme immunoassay kit for the quantification of human ferritin. Measurement range: 0-500 ng/ml. Sensitivity: 2.5 ng/ml.	12×8
D-3762 CE	Pepsinogen 1 – EIA - BEST Enzyme immunoassay kit for the quantification of pepsinogen 1. Measurement range: 0-200 µg/l. Sensitivity: 0.5 µg/l.	12×8
D-3764 CE	Pepsinogen 2 – EIA - BEST Enzyme immunoassay kit for the quantification of pepsinogen 2. Measurement range: 0-50 µg/l. Sensitivity: 0.5 µg/l.	12×8
Acute phase proteins		
A-9002	CRP-EIA-BEST highly sensitive Enzyme immunoassay kit for the highly sensitive quantification of C-reactive protein (CRP). Measurement range: 0-10 IU/l. Sensitivity: 0.05 IU/l.	12×8
A-9004	Procalcitonin – EIA –BEST Enzyme immunoassay kit for the quantification of procalcitonin. Measurement range: 0-12.8 ng/ml. Sensitivity: 0.04 ng/ml.	12×8
Thrombosis		
D-9120	D-dimer-EIA-BEST Enzyme immunoassay kit for the quantification of D-dimer in blood plasma. Measurement range: 0-1500 ng/ml. Sensitivity: 10 ng/ml.	12×8
Cardiac markers		
A-9002	CRP-EIA-BEST highly sensitive Enzyme immunoassay kit for the highly sensitive quantification of C-reactive protein (CRP). Measurement range: 0-10 IU/l. Sensitivity: 0.05 IU/l.	12×8
A-9102	NTproBNP – EIA - BEST Enzyme immunoassay kit for the quantification of N-terminal prohormone of brain natriuretic peptide (NTproBNP). Measurement range: 0-2000 pg/ml. Sensitivity: 20 pg/ml.	12×8

A-9104	FABP – EIA - BEST Enzyme immunoassay kit for the quantification of fatty-acid-binding protein. Measurement range: 0-15 ng/ml. Sensitivity: 0.05 ng/ml.	12×8
A-9106	Troponin I – EIA - BEST Enzyme immunoassay kit for the quantification of troponin I. Measurement range: 0-6 ng/ml. Sensitivity: 0.02 ng/ml.	12×8
A-9108	Myoglobin – EIA - BEST Enzyme immunoassay kit for the quantification of myoglobin. Measurement range: 0-1000 ng/ml. Sensitivity: 4 ng/ml.	12×8
D-9120	D-dimer-EIA-BEST Enzyme immunoassay kit for the quantification of D-dimer in blood plasma. Measurement range: 0-1500 ng/ml. Sensitivity: 10 ng/ml.	12×8
A-9130	Cystatin C – EIA – BEST Enzyme immunoassay kit for the quantification of cystatin C in human plasma. Measurement range: 0-10 µg/ml. Sensitivity: 0.05 µg/ml.	12×8
<i>Assessment of renal function</i>		
A-9130	Cystatin C – EIA – BEST Enzyme immunoassay kit for the quantification of cystatin C in human plasma. Measurement range: 0-10 µg/ml. Sensitivity: 0.05 µg/ml.	12×8
A-8762	Interleukin-8 – EIA - BEST Enzyme immunoassay kit for the quantification of interleukin-8 in serum and urine. Measurement range: 0-250 pg/ml. Sensitivity: 2 pg/ml.	12×8
A-8766	Interleukin-1 beta – EIA - BEST Enzyme immunoassay kit for the quantification of interleukin-1 beta in serum and urine. Measurement range: 0-250 pg/ml. Sensitivity: 1 pg/ml.	12×8
A-8768	Interleukin-6 – EIA - BEST Enzyme immunoassay kit for the quantification of interleukin-6 in serum and urine. Measurement range: 0-300 pg/ml. Sensitivity: 0.5 pg/ml.	12×8

Systemic and autoimmune diseases

D-3754	IgG – Gliadin – EIA - BEST Enzyme immunoassay kit for the quantification of IgG against gliadin. Measurement range: 0-100 U/ml. Sensitivity: 1 U/ml.	12×8
D-3756	IgA – Gliadin – EIA - BEST Enzyme immunoassay kit for the quantification of IgA against gliadin. Measurement range: 0-100 U/ml. Sensitivity: 1 U/ml.	12×8
D-3758 CE	IgA-Transglutaminase-EIA-BEST Enzyme immunoassay kit for the quantification of IgA autoantibodies against tissue transglutaminase. Measurement range: 0-100 U/ml. Sensitivity: 2.5 U/ml.	6×16
D-3760 CE	IgG-Transglutaminase-EIA-BEST Enzyme immunoassay kit for the quantification of IgG autoantibodies against tissue transglutaminase. Measurement range: 0-100 U/ml. Sensitivity: 2.5 U/ml.	6×8
X-3958	Anti-TG – EIA - BEST Enzyme immunoassay kit for the quantification of total antibodies against thyroglobulin. Measurement range: 0-2000 IU/ml. Sensitivity: 5 IU/ml.	12×8
X-3968	Anti-TPO – EIA – BEST Enzyme immunoassay kit for the quantification of total antibodies against thyroid peroxidase. Measurement range: 0-1000 U/ml. Sensitivity: 2 U/ml.	12×8
A-8652	VectoRheumatoid factor M class Enzyme immunoassay kit for the quantification of M-class rheumatoid factor. Measurement range: 0-300 U/ml. Sensitivity: 1.5 U/ml.	12×8
A-8654	VectoRheumatoid factor total Enzyme immunoassay kit for the quantification of total rheumatoid factor. Measurement range: 0-300 U/ml. Sensitivity: 1.5 U/ml.	12×8
A-8656	Vecto-dsDNA – IgG Enzyme immunoassay kit for the quantification of IgG autoimmune antibodies against double-stranded DNA. Measurement range: 0-200 IU/ml. Sensitivity: 2 IU/ml.	12×8
A-8658	Vecto-ssDNA – IgG Enzyme immunoassay kit for the quantification of IgG autoimmune antibodies against single-stranded DNA. Measurement range: 0-200 U/ml. Sensitivity: 2 U/ml.	12×8

A-8660	IgE total – EIA – BEST Enzyme immunoassay kit for the quantification of total IgE. Measurement range: 0-800 IU/ml. Sensitivity: 2.5 IU/ml.	12×8
<i>Humoral immune status</i>		
A-8660	IgE total – EIA - BEST Enzyme immunoassay kit for the quantification of total IgE. Measurement range: 0-800 IU/ml. Sensitivity: 2.5 IU/ml.	12×8
A-8662	IgG total-EIA-BEST Enzyme immunoassay kit for the quantification of total IgG. Measurement range: 0-300 U/ml. Sensitivity: 2.5 U/ml	12×8
A-8664	IgM total-EIA-BEST Enzyme immunoassay kit for the quantification of total IgM. Measurement range: 0-400 U/ml. Sensitivity: 4 U/ml	12×8
A-8666	IgA total-EIA-BEST Enzyme immunoassay kit for the quantification of total IgA. Measurement range: 0-300 U/ml. Sensitivity: 1.5 U/ml	12×8
A-8674	Immunoscreen-G, M, A – EIA - BEST Enzyme immunoassay kit for the quantification of total IgA, IgM, IgG.	32×3
A-8668	IgA secretory-EIA-BEST Enzyme immunoassay kit for the quantification of secretory IgA (sIgA). Measurement range: 0-20 mg/l. Sensitivity: 0.35 mg/l.	12×8
<i>Cytokines</i>		
A-8752	gamma-Interferon – EIA - BEST Enzyme immunoassay kit for the quantification of gamma-interferon in serum. Measurement range: 0-1000 pg/ml. Sensitivity: 2 pg/ml.	12×8
A-8754	Interleukin-4 – EIA - BEST Enzyme immunoassay kit for the quantification of interleukin-4 in serum. Measurement range: 0-100 pg/ml. Sensitivity: 0.4 pg/ml.	12×8
A-8756	alpha -TNF – EIA – BEST Enzyme immunoassay kit for the quantification of tumor necrosis factor - alpha in serum. Measurement range: 0-250 pg/ml. Sensitivity: 1 pg/ml.	12×8

A-8758	alpha -Interferon – EIA - BEST Enzyme immunoassay kit for the quantification of interferon alpha. Measurement range: 0-500 pg/ml. Sensitivity: 5 pg/ml.	12×8
A-8760	alpha -Interferon - autoimmune antibodies – EIA - BEST Enzyme immunoassay kit for the quantification of autoimmune antibodies against interferon alpha. Measurement range: 0-100 ng/ml. Sensitivity: 0.4 ng/ml.	12×8
A-8770	Interleukin-18 – EIA - BEST Enzyme immunoassay kit for the quantification of interleukin-18 in serum. Measurement range: 0-1000 pg/ml. Sensitivity: 2 pg/ml.	12×8
A-8772	Interleukin-2 – EIA - BEST Enzyme immunoassay kit for the quantification of interleukin-2 in serum. Measurement range: 0-500 pg/ml. Sensitivity: 2 pg/ml.	12×8
A-8774	Interleukin-10 – EIA - BEST Enzyme immunoassay kit for the quantification of interleukin-10 in serum. Measurement range: 0-500 pg/ml. Sensitivity: 1 pg/ml.	12×8
A-8776	Erythropoietin-EIA-BEST Enzyme immunoassay kit for the quantification of erythropoietin in serum. Measurement range: 0-200 mIU/ml. Sensitivity: 0.5 mIU/ml.	12×8
A-8782	MCP-1-EIA-BEST Enzyme immunoassay kit for the quantification of MCP-1 (monocyte chemoattractant protein-1). Measurement range: 0-2000 pg/ml. Sensitivity: 15 pg/ml.	12×8
A-8784	VEGF-EIA-BEST Enzyme immunoassay kit for the quantification of VEGF (vascular endothelial growth factor) in serum. Measurement range: 0-2000 mIU/ml (pg/ml). Sensitivity: 10 mIU/ml (pg/ml).	12×8

Signed in the press on 27.12.2019. Circulation 150 copies.
